

Wind Energy Status and R&D Challenge

Brian Parsons
Senior Project Manager
28 February 2006



DOE's National Wind Technology Center
Golden, Colorado


Disclaimer and Government License

This work has been authored by Midwest Research Institute (MRI) under Contract No. DE-AC36-99GO10337 with the U.S. Department of Energy (the “DOE”). The United States Government (the “Government”) retains and the publisher, by accepting the work for publication, acknowledges that the Government retains a non-exclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this work, or allow others to do so, for Government purposes.

Neither MRI, the DOE, the Government, nor any other agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe any privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not constitute or imply its endorsement, recommendation, or favoring by the Government or any agency thereof. The views and opinions of the authors and/or presenters expressed herein do not necessarily state or reflect those of MRI, the DOE, the Government, or any agency thereof.



The U.S. Energy Picture

by source - 1850-1999









Source: 1850-1949, Energy Perspectives: A Presentation of Major Energy and Energy-Related Data, U.S. Department of the Interior, 1975; 1950-1996, Annual Energy Review 1996, Table 1.3. Note: Between 1950 and 1990, there was no reporting of non-utility use of renewables. 1997-1999, Annual Energy Review 1999, Table F1b.

United States - Wind Resource Map



 Indian Reservations and Alaska Native Village Areas

Wind Power Classification


Wind Power Class	Resource Potential	Wind Power Density at 50 m W/m ²	Wind Speed ^a at 50 m m/s	Wind Speed ^a at 50 m mph
	2 Marginal	200 - 300	5.6 - 6.4	12.5 - 14.3
	3 Fair	300 - 400	6.4 - 7.0	14.3 - 15.7
	4 Good	400 - 500	7.0 - 7.5	15.7 - 16.8
	5 Excellent	500 - 600	7.5 - 8.0	16.8 - 17.9
	6 Outstanding	600 - 800	8.0 - 8.8	17.9 - 19.7
	7 Superb	800 - 1600	8.8 - 11.1	19.7 - 24.8

^a Wind speeds are based on a Weibull k value of 2.0

U.S. Department of Energy
National Renewable Energy Laboratory



United States - 2005 Year End Wind Power Capacity (MW)




Data collected by Global Energy Concepts and the American Wind Energy Association (AWEA).

Total: 9,149 MW

(As of 12/31/05, based on data available through 1/19/06)



Wind Power Capacity Megawatts (MW)




U.S. Department of Energy
National Renewable Energy Laboratory



25-JAN-2006 1.1.22

Evolution of U.S. Commercial Wind Technology



Cost of Energy Trend

1981: 40 cents/kWh


- **Increased Turbine Size**
- **R&D Advances**
- **Manufacturing Improvements**



NSP 107 MW Lake Benton wind farm
4 cents/kWh (unsubsidized)

2006: 3 - 6 cents/kWh with PTC

Clipper LWST Prototype 2.5 MW with 93 m Rotor



Wind Energy Research Activities

Turbine Development Programs

- Low Wind Speed Technology
- Distributed Wind Technology


Supporting Research Activities

- Advanced Rotor Development
- Generator, Drivetrain, and Power Electronics
- Systems and Control
- Technology Acceptance
- Utility Grid Integration
- Certification Testing

Measuring and Modeling Dynamic Stall and Unsteady Aerodynamics



NASA Ames 80' by 120'
Wind Tunnel Test




ADAMS Model



Smoke Test



Measuring and Modeling the Low-Level Nocturnal Jet



Met tower and
SODAR at Lamar,
Colorado



Blade Scaling for Multimegawatt Rotors



Industry's Growing Needs



A new 45-meter wind turbine blade was shipped to the NWTC for testing in July 2004.




Advanced Drivetrain R&D

Tomorrow
Prototype Technology

Today

1.5 MW Commercial Technology



What are the Future R&D Needs?

Offshore Wind – U.S. Rationale


Why Go Offshore?

Windy onshore sites are not close to coastal load centers

The electric utility grid cannot be easily set up for interstate electric transmission


Load centers are close to the offshore wind sites

US Population Concentration




Graphic Credit: Bruce Bailey AWS Truewind


US Wind Resource




U.S. Offshore Wind Energy Resource




Offshore Wind Turbine Development for Deep Water






- Turbulent winds
- Irregular waves
- Gravity / inertia
- Aerodynamics:
 - induction
 - skewed wake
 - dynamic stall
- Hydrodynamics:
 - scattering
 - radiation
 - hydrostatics
- Elasticity
- Mooring dynamics
- Control system
- Fully coupled



Wind and Wave Spectra

test13_ADAMS Time= 42.4008 Frame=850



A Future Vision for Wind Energy Markets

